

Catalog 2023



CLOAKROOM EQUIPMENT



www.shop.satniskrinky.cz www.clotheslockers.eu

Content

| About Company | 4 |
|--|------|
| Modular | 8 |
| Combined clothes lockers | . 12 |
| Laminated clothes lockers | . 20 |
| Steel clothes lockers | . 24 |
| Golf lockers | . 32 |
| Saddle locker | . 36 |
| Ball locker | . 38 |
| Hockey box and multipurpose boxes | 40 |
| Ski and snowboard lockers | . 46 |
| Fire lockers and lockers for rescue services | . 50 |
| Key lockers | . 58 |
| Cloakroom seats | 60 |
| Whole laminated wardrobe bench | . 62 |
| Design self-watering flowerpot | 63 |
| Shelf racks | . 64 |
| Workbenches | 66 |
| Container | 68 |
| Additional steel production and cooperation | . 69 |
| Multifunctional storage wall | . 72 |
| Mail box | . 74 |
| Stand for Disinfectant Dispenser | . 75 |
| Hygienestand | . 76 |
| Accessories | . 78 |
| Locks | . 80 |
| Project realization | . 87 |
| Offer warehouse decors | . 88 |
| Extended offer of decors | . 90 |
| References | . 92 |
| Marketing – Exhibitons | 100 |
| Presentation | 102 |
| Packaging, transportation | 103 |
| Notes | 104 |
| Certificates | 105 |



About us

Tritón Pardubice, spol. s r. o. with almost 30 years of tradition is one of the world's leading manufacturers of 19" data, telecommunication and power cabinets including accessories.

The production and development centre is located in Stary Mateřov, 5 km from city Pardubice. Here is step by step built a modern production plant with a total production area of 17,000 m² and more than 190 employees and specialists.

In January 2022, the fifth production hall including a new logistics facility was finished.

Last but not least, the company develops and manufactures products used to equip changing rooms, workshops and offices. For example, cabinets, boxes, benches and hanging walls, hockey boxes, workshop furniture, special cabinets for firefighters or for sports equipment (balls, skis, snowboards, bridles, golf equipment etc.). Currently, the Anti-Covid program has been developed and put into production, which includes disinfectant and hygiene stands.



7. 12. In 2021, a new hall with a usable area of almost 3,000 m2 was approved.



Automated bending center





Automated bending center



Automated bending center



Automated punch machine




Center for glass gluing and cabinet door seal applications





Cross-cut saw KP 500 Automat



Dowel insertion machine







Automatic milling center with feeder



UV LED printer



Stacking machine for the production of pallets



Modular

Triton Modular clothes lockers introduce a brand new and variable concept. The body is made of steel and can be adjusted to the customers' needs; whether they need a 2-door locker, 4-box, 6-box, 8-box, or other combinations.

Doors can be made of steel or laminated chipboard and can be oriented as left, right, or left/right. Quality Hettich hinges are used to attach them to the frame. Doors are ready for cylindrical locks or turning locks BURG as standard. Shelves have integrated holders for clothes rods.

Sizes are 1970 x 600 x 500 mm, or 1970 x 800 x 500 mm (h x w x d).

All lockers are made of high quality steel and are delivered assembled.




Furniture hinges Hettich



Shelves with chromed clothes rod detail



Levelling feet



Modular lockers Triton can be customized to the most demanded options - all this with the use of just one frame. The body and dividing wall are perforated for different door, shelf and lock positions.

This versatility not only makes the delivery faster but also gives the customers the possibility to change the locker later, e.g. in case the customer needs to expand the locker room.

Steel parts are powder coated. Laminated chipboard doors are protected by 2 mm ABS edging.





an extended range of decors can be found on page 90.



| 2-door | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 | 1970 x 800 x 500 |
| Number of sections | 2 | 2 |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod |
| Weight net / gross (kg) | 60 / 64 | 70 / 75 |
| Order code | IVD-20-X65-XXX-X1 | IVD-20-X85-XXX-X1 |



| 4-box | | |
|-----------------------------|-------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 | 1970 x 800 x 500 |
| Number of sections | 4 | 4 |
| Equipment | 4 x rod | 4 x rod |
| Weight net / gross (kg) | 59 / 63 | 69 / 74 |
| Order code | IVC-20-X65-XXX-X1 | IVC-20-X85-XXX-X1 |



| 6-box | | |
|-----------------------------|-------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 | 1970 x 800 x 500 |
| Number of sections | 6 | 6 |
| Weight net / gross (kg) | 60 / 65 | 71 / 76 |
| Order code | IVE-20-X65-XXX-X1 | IVE-20-X85-XXX-X1 |



| 8-box | | |
|-----------------------------|-------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 | 1970 x 800 x 500 |
| Number of sections | 8 | 8 |
| Weight net / gross (kg) | 63 / 68 | 74 / 79 |
| Order code | IVF-20-X65-XXX-X1 | IVF-20-X85-XXX-X1 |











Combined clothes lockers

Steel and laminated chipboard combination

Combined clothes lockers have bodies made of quality steel with powder coated finish and laminate chipboard with various decors. Lockers have pre-made holes if any shelves should be added.

Perforation in the steel frame ensures effective ventilation. Lockers can be screwed together to create one compact unit. Lockers made of steel and laminated chipboard offer reliable and high quality equipment for locker rooms in companies, schools, sport facilities, hospitals, etc.

The basic color of steel corpus consists of a shade RAL 7035 and RAL 9005.



an extended range of decors can be found on page 90





Solid frame construction



Air system



Chrome bar



Unique hinges (180° door opening)



Practical shelves



Levelling feet



| 1-door | | | |
|-----------------------------|--------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1525 x 420 x 500 | 1750 x 420 x 500 | 1970 x 420 x 500 |
| Number of sections | 1 | 1 | 1 |
| Equipment | 1 x shelf, 1 x rod | 1 x shelf, 1 x rod | 2 x shelf, 1 x rod |
| Weight net / gross (kg) | 31 / 38 | 35 / 42 | 39 / 45 |
| Order code | ISS-15-B45-XXX-X2 | ISS-18-B45-XXX-X2 | ISS-20-B45-XXX-X2 |



| 1-door with a seat | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 420 x 780 | 2195 x 420 x 780 |
| Number of sections | 1 | 1 |
| Equipment | 1 x shelf, 1 x rod | 1 x shelf, 1 x rod |
| Weight net / gross (kg) | 39 / 47 | 43 / 51 |
| Order code | ISS-20-B48-XXX-A2 | ISS-22-B48-XXX-A2 |



| 2-door | | | |
|-----------------------------|--------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1525 x 600 x 500 | 1750 x 600 x 500 | 1970 x 600 x 500 |
| Number of sections | 2 | 2 | 2 |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod | 4 x shelf, 2 x rod |
| Weight net / gross (kg) | 48 / 54 | 54 / 60 | 62 / 69 |
| Order code | ISD-15-B65-XXX-X2 | ISD-18-B65-XXX-X2 | ISD-20-B65-XXX-X2 |



| 2-door with a seat | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 |
| Number of sections | 2 | 2 |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod |
| Weight net / gross (kg) | 57 / 65 | 63 / 71 |
| Order code | ISD-20-B68-XXX-A2 | ISD-22-B68-XXX-A2 |



| 2-door with a seat with integrated grate | | |
|--|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 |
| Number of sections | 2 | 2 |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod |
| Weight net / gross (kg) | 61 / 69 | 67 / 75 |
| Order code | ISD-20-B68-XXX-R2 | ISD-22-B68-XXX-R2 |



| 3-door | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1750 x 900 x 500 | 1970 x 900 x 500 |
| Number of sections | 3 | 3 |
| Equipment | 3 x shelf, 3 x rod | 6 x shelf, 3 x rod |
| Weight net / gross (kg) | 74 / 80 | 86 / 91 |
| Order code | IST-18-B95-XXX-X2 | IST-20-B95-XXX-X2 |



2-door locker, grey RAL 7035/cherry-tree locarno laminate



3-door locker, grey RAL 7035/maple mandal laminate



2-door locker, grey RAL 7035/maple mandal



2-door locker with a bench, grey RAL 7035/pine laminate




2-door locker with a bench, grey RAL 7035/cherry-tree locarno laminate




| 3-door with a seat | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 900 x 780 | 2195 x 900 x 780 |
| Number of sections | 3 | 3 |
| Equipment | 3 x shelf, 3 x rod | 3 x shelf, 3 x rod |
| Weight net / gross (kg) | 77 / 85 | 85 / 90 |
| Order code | IST-20-B98-XXX-A2 | IST-22-B98-XXX-A2 |




| 4-box | | | |
|-----------------------------|-------------------|-------------------|-------------------|
| Height x width x depth (mm) | 1525 x 600 x 500 | 1750 x 600 x 500 | 1970 x 600 x 500 |
| Number of sections | 4 | 4 | 4 |
| Equipment | 4 x rod | 4 x rod | 4 x rod |
| Weight net / gross (kg) | 49 / 57 | 54 / 60 | 59 / 66 |
| Order code | ISC-15-B65-XXX-X2 | ISC-18-B65-XXX-X2 | ISC-20-B65-XXX-X2 |




| 4-box with a seat | | |
|-----------------------------|-------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 |
| Number of sections | 4 | 4 |
| Equipment | 4 x rod | 4 x rod |
| Weight net / gross (kg) | 58 / 66 | 67 / 75 |
| Order code | ISC-20-B68-XXX-A2 | ISC-22-B68-XXX-A2 |



| 4-box with a seat with integrated grate | | |
|---|-------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 |
| Number of sections | 4 | 4 |
| Equipment | 4 x rod | 4x rod |
| Weight net / gross (kg) | 62 / 70 | 71 / 79 |
| Order code | ISC-20-B68-XXX-R2 | ISC-22-B68-XXX-R2 |



| "Z"-type | |
|-----------------------------|-------------------|
| Height x width x depth (mm) | 1970 x 800 x 500 |
| Number of sections | 4 |
| Equipment | 4 x rod |
| Weight net / gross (kg) | 69 / 77 |
| Order code | ISZ-20-B85-XXX-X2 |



| 6-box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 900 x 500 | |
| Number of sections | 6 | |
| Equipment | 6 x rod | |
| Weight net / gross (kg) | 78 / 88 | |
| Order code | ISE-20-B95-XXX-X2 | |



| 8-box | |
|-----------------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 |
| Number of sections | 8 |
| Equipment | - |
| Weight net / gross (kg) | 59 / 66 |
| Order code | ISF-20-B65-XXX-X2 |



4-box locker, grey RAL 7035/maple mandal laminate



4-box locker, grey RAL 7035/oak bardolino laminate



4-box locker with a bench, black RAL 9005/oak corbridge laminate




4-box "Z" locker, grey RAL 7035/maple mandal laminate



6-box locker, black RAL 9005/oak bardolino laminate



8-box locker, black RAL 9005/maple mandal laminate



Amusement park Krokodýlek, Olomouc








Golf Club Pyšely



Sauna paradise Holice









Elementary school Schulzovy sady








Laminated clothes lockers

Laminate clothes lockers are made from laminated chipboard with a thickness of 18mm in timeless decors. Simple and elegant design is complemented by cylindrical lock with two keys or any other locking solution. All edges are finished with 2mm ABS.

Stainless steel perforated grille allows circulation of the air together with offset doors.

Unique hinges Hettich Intermat ensure quite closing of the doors.

This locker will become an elegant part of your interior.





an extended range of decors can be found on page 90









| 1-door | | |
|-----------------------------|--------------------|--|
| Height x width x depth (mm) | 1970 x 420 x 500 | |
| Number of sections | 1 | |
| Equipment | 2 x shelf, 1 x rod | |
| Weight net / gross (kg) | 39 / 45 | |
| Order code | ILS-20-B45-XXX-XN | |



| 2-door | |
|-----------------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 |
| Number of sections | 2 |
| Equipment | 4x shelf, 2x rod |
| Weight net / gross (kg) | 62 / 69 |
| Order code | ILD-20-B65-XXX-XN |



| 2-door with a seat | |
|-----------------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 780 |
| Number of sections | 2 |
| Equipment | 2x shelf, 2x rod |
| Weight net / gross (kg) | 57 / 65 |
| Order code | ILD-20-B65-XXX-AN |




| 3-door | |
|-----------------------------|--------------------|
| Height x width x depth (mm) | 1970 x 900 x 500 |
| Number of sections | 3 |
| Equipment | 6 x shelf, 3 x rod |
| Weight net / gross (kg) | 86 / 91 |
| Order code | ILT-20-B95-XXX-XN |



| 4-box | |
|-----------------------------|-------------------|
| Height x width x depth (mm) | 1970 x 600 x 500 |
| Number of sections | 4 |
| Equipment | 4x shelf, 4x rod |
| Weight net / gross (kg) | 59 / 66 |
| Order code | ILC-20-B65-XXX-XN |



| 4-box with a seat | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 780 | |
| Number of sections | 4 | |
| Equipment | 4x rod | |
| Weight net / gross (kg) | 58 / 66 | |
| Order code | ILC-20-B68-XXX-AN | |



| "Z" box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 800 x 500 | |
| Number of sections | 4 | |
| Equipment | 4x rod | |
| Weight net / gross (kg) | 69 / 77 | |
| Order code | ILZ-20-B85-XXX-XN | |



| 6-box | |
|-----------------------------|--------------------|
| Height x width x depth (mm) | 1970 x 900 x 500 |
| Number of sections | 6 |
| Equipment | 6 x shelf, 6 x rod |
| Weight net / gross (kg) | 78 / 88 |
| Order code | ILE-20-B95-XXX-XN |



| 8-box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 500 | |
| Number of sections | 8 | |
| Equipment | - | |
| Weight net / gross (kg) | 59 / 66 | |
| Order code | ILF-20-B65-XXX-XN | |



| 10-box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 800 x 500 | |
| Number of sections | 8 | |
| Equipment | - | |
| Weight net / gross (kg) | 59 / 66 | |
| Order code | ILG-20-B85-XXX-XN | |







Steel clothes lockers

Steel clothes locker are made of quality steel with powder-coated finish. Powder-coating technology fully meets our customers' requirements. The paint is very resistant against chemical or mechanical damage. A rigid frame ensures stability of every locker. Reinforced doors can be opened almost up to 180° due to our unique hinges. Perforations in doors and frame ensure effective air-ventilation. Levelling feet are always included.


Lockers can be screwed together to create one compact unit.

Timeless design and high quality are the main features of Tritón lockers. They can be used in locker rooms of schools, sport facilities, hospitals, etc.

Standard colour range is RAL 7035 (light grey), RAL 5005 (blue), and RAL 9005 (black).

Other colours from RAL sampler are available upon request.









Solid frame construction



Air circulation system



Solid section divider



Reinforced door frame, unique hinges



Practical shelves



Levelling feet



| 1-door | | | | |
|-----------------------------|--------------------|--------------------|--------------------|--|
| Height x width x depth (mm) | 1525 x 420 x 500 | 1750 x 420 x 500 | 1970 x 420 x 500 | |
| Number of sections | 1 | 1 | 1 | |
| Equipment | 1 x shelf, 1 x rod | 1 x shelf, 1 x rod | 2 x shelf, 1 x rod | |
| Weight net / gross (kg) | 29 / 35 | 32 / 39 | 36 / 43 | |
| Order code | ISS-15-A45-XXX-X2 | ISS-18-A45-XXX-X2 | ISS-20-A45-XXX-X2 | |



| 1-door with a seat | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1970 x 420 x 780 | 2195 x 420 x 780 |
| Number of sections | 1 | 1 |
| Equipment | 1 x shelf, 1 x rod | 1 x shelf, 1 x rod |
| Weight net / gross (kg) | 37 / 45 | 40 / 48 |
| Order code | ISS-20-A48-XXX-A2 | ISS-22-A48-XXX-A2 |



| 2-door | | | | |
|-----------------------------|--------------------|--------------------|--------------------|--|
| Height x width x depth (mm) | 1525 x 600 x 500 | 1750 x 600 x 500 | 1970 x 600 x 500 | |
| Number of sections | 2 | 2 | 2 | |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod | 4 x shelf, 2 x rod | |
| Weight net / gross (kg) | 44 / 51 | 50 / 57 | 57 / 63 | |
| Order code | ISD-15-A65-XXX-X2 | ISD-18-A65-XXX-X2 | ISD-20-A65-XXX-X2 | |



| 2-door with a seat | | | |
|-----------------------------|--------------------|--------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 | |
| Number of sections | 2 | 2 | |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod | |
| Weight net / gross (kg) | 54 / 62 | 58 / 66 | |
| Order code | ISD-20-A68-XXX-A2 | ISD-22-A68-XXX-A2 | |



| 2-door with a seat with integrated grate | | | |
|--|--------------------|--------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 | |
| Number of sections | 2 | 2 | |
| Equipment | 2 x shelf, 2 x rod | 2 x shelf, 2 x rod | |
| Weight net / gross (kg) | 58 / 66 | 62 / 70 | |
| Order code | ISD-20-A68-XXX-R2 | ISD-22-A68-XXX-R2 | |



| 3-door | | |
|-----------------------------|--------------------|--------------------|
| Height x width x depth (mm) | 1750 x 900 x 500 | 1970 x 900 x 500 |
| Number of sections | 3 | 3 |
| Equipment | 3 x shelf, 3 x rod | 6 x shelf, 3 x rod |
| Weight net / gross (kg) | 67 / 77 | 76 / 86 |
| Order code | IST-18-A95-XXX-X2 | IST-20-A95-XXX-X2 |



2-door locker, grey RAL 7035/blue RAL 5005



2-door locker with a bench, grey RAL 7035



1-door locker, grey RAL 7035/blue RAL 5005



3-door locker, grey RAL 7035/blue RAL 5005



3-door locker with a bench, grey RAL 7035/black RAL 9005



| 3-door with a seat | | | |
|-----------------------------|--------------------|--------------------|--|
| Height x width x depth (mm) | 1970 x 900 x 780 | 2195 x 900 x 780 | |
| Number of sections | 3 | 3 | |
| Equipment | 3 x shelf, 3 x rod | 3 x shelf, 3 x rod | |
| Weight net / gross (kg) | 72 / 79 | 79 / 84 | |
| Order code | IST-20-A98-XXX-A2 | IST-22-A98-XXX-A2 | |



| 4-box | | | | |
|-----------------------------|-------------------|-------------------|-------------------|--|
| Height x width x depth (mm) | 1525 x 600 x 500 | 1750 x 600 x 500 | 1970 x 600 x 500 | |
| Number of sections | 4 | 4 | 4 | |
| Equipment | 4 x rod | 4 x rod | 4 x rod | |
| Weight net / gross (kg) | 48 / 55 | 52 / 58 | 57 / 63 | |
| Order code | ISC-15-A65-XXX-X2 | ISC-18-A65-XXX-X2 | ISC-20-A65-XXX-X2 | |



| 4-box with a seat | | | |
|-----------------------------|-------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 780 | 2195 x 600 x 780 | |
| Number of sections | 4 | 4 | |
| Equipment | 4 x rod | 4 x rod | |
| Weight net / gross (kg) | 58 / 64 | 61 / 69 | |
| Order code | ISC-20-A68-XXX-A2 | ISC-22-A68-XXX-A2 | |



| 4-box with a seat with integrated grate | | | | |
|---|-----------------------------------|-------------------|--|--|
| Height x width x depth (mm) | 1970 x 600 x 780 2195 x 600 x 780 | | | |
| Number of sections | 4 | 4 | | |
| Equipment | 4x rod | 4x rod | | |
| Weight net / gross (kg) | 62 / 68 | 65 / 73 | | |
| Order code | ISC-20-A68-XXX-R2 | ISC-22-A68-XXX-R2 | | |



| "Z"-type | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 800 x 500 | |
| Number of sections | 4 | |
| Equipment | 4 x rod | |
| Weight net / gross (kg) | 64 / 74 | |
| Order code | ISZ-20-A85-XXX-X2 | |



| 6-boxové | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 900 x 500 | |
| Number of sections | 6 | |
| Equipment | 6 x rod | |
| Weight net / gross (kg) | 73 / 83 | |
| Order code | ISE-20-A95-XXX-X2 | |



| 8-box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1970 x 600 x 500 | |
| Number of sections | 8 | |
| Equipment | - | |
| Weight net / gross (kg) | 54 / 61 | |
| Order code | ISF-20-A65-XXX-X2 | |



| 15-box | | |
|-----------------------------|-------------------|--|
| Height x width x depth (mm) | 1750 x 900 x 500 | |
| Number of sections | 15 | |
| Equipment | - | |
| Weight net / gross (kg) | 94 / 104 | |
| Order code | ISO-18-A95-XXX-X2 | |





4-box locker with a bench, grey RAL 7035/blue RAL 5005

15-box locker, grey RAL 7035/grey RAL 7035 and blue RAL 5005 $\,$



Tritón Pardubice, spol. s r.o.



Tritón Pardubice, spol. s r.o.



Elementary School Pardubice – Polabiny, Npor. Eliáše



Agrarlandtechnik



Euro Bus



Neu Mitte Schule



AZ Herentals



Internationale Schule Hamburg



Vodovody a kanalizace Přelouč



Hotel Melia Wien





Elementary School and Kindergarten Chotíkov



APAG Elektronik s.r.o.



Golf lockers

Golf lockers are designed for safe storage of golf bags, carts, and other equipment. A shelf for power distribution unit or a cart charger is located on the locker's side. A hole in the rear ensures easy wiring into the locker. Users will certainly appreciate the small box on the reinforced door for golf balls or other small items.

Perforation in the door and in the body serves for air-ventialation. Stored items are safely locked with high quality locks. Triton golf lockers can be placed in two levels.






Power distrubtion unit shelf




Opening for electric







| Golf lockers – steel | | | |
|-----------------------------|--|-------------------|-------------------|
| Height x width x depth (mm) | 1250 x 550 x 550 | 1250 x 825 x 550 | 1250 x 825 x 1100 |
| Equipment | basket for golf balls and small items, shelf for a power distribution unit | | |
| Weight net / gross (kg) | 36 / 43 | 44 / 50 | 62 / 69 |
| Order code | IGS-13-A55-XXX-XX | IGS-13-A85-XXX-XX | IGS-13-A80-XXX-XX |





Migros Golfplatz Moossee



Golf Club Gams Werdenberg



Golf Club Pyšely




Golf resort Buchholz






City & Country Golfclub Am Wienerberg



Les Bois



















Saddle locker

Saddle lockers are designed to store saddles and other equestrian equipment. Lockers are made of high quality zinc-coated steel with powder-coated finish. This combination ensures resistance to chemical or mechanical damage. Lockers can be screwed together to create one compact unit.











| Saddle locker | |
|-----------------------------|---|
| Height x width x depth (mm) | 1100 x 600 x 600 |
| Number of sections | 1 |
| Equipment | 2 x saddle holder including a hook for a bridle, 2 x steel hanger for bridles, basket for small items |
| Weight net / gross (kg) | 42 / 47 |
| Order code | KSS-11-A66-XXX-X1 |








Ball locker

Ball locker stores all kinds of balls and other sport equipment in gyms and sport facilities. Four high-adjustable shelves with raised edges ensure the balls will stay in the locker.

Ball lockers are made from laminate chipboard 18 mm thick which have one fixed shelf and two adjustable shelves for better flexibility. In case of needs we are able to deliver shelves separately. All edges are covered by ABS edge thick 2 mm.









| Ball locker | steel | laminate |
|-----------------------------|--|--|
| Height x width x depth (mm) | 1970 x 900 x 400 | 2100 x 1200 x 600 |
| Number of sections | 1 | 1 |
| Equipment | 4 height-adjustable shelves, jersey rod | solid shelve, 2 adjustable shelves, turning lock Burg |
| Weight net / gross (kg) | 70 / 75 | 135 / 143 |
| Order code | IMS-20-A94-XXX-X1 | YYAT18-0002-16 laminate oak corbridge |







Hockey box and multipurpose boxes

Hockey box is made of laminated chipboard and is designed for locker rooms in hockey arenas. However, it can be used elswhere, where there is no need for standard lockers.

Hockey box is offered in two versions: with open or closed space under the seat. One lockable box with a slot for quick storage is included as well as two double hooks and two shelves.

The hockey box is designed for up to two persons.















mandal

laminate fleetwood champagne

laminate cherry-tree locarno

laminate oak bardolino

laminate oak corbridge

laminate pine

Hockey box and multipurpose boxes





| Hockey box and multipurpose boxes | | |
|-----------------------------------|---|--------------------------------------|
| Height x width x depth (mm) | 1970 x 800 x 600 | 1970 x 800 x 600 |
| Number of sections | 1 | 1 |
| Equipment | 2x shelf, 1x box, 2x double hooks, open space under the bank (seat) | 2x shelf, 1x box, 2x double hooks |
| Weight net / gross (kg) | 63 / 68 | 67 / 74 |
| Order code | IAH-20-B86-XXX-X0 | IAH-20-B86-XXX-X1 |





The HPL universal box is made from high pressure laminate which is extremely durable to destruction and ideal for all the professional and semi-professional clubs. Two variants are proposed.

Player variant with a width of 800 mm and goalkeeper's version with a width of 1000 mm. As this is an exclusive affair, we offer a wide range of decors to meet the demands of all clubs on their color combinations.



| HPL hockey box | | |
|-----------------------------|---|---|
| Height x width x depth (mm) | 2180 x 800 x 650 | 2180 x 1000 x 650 |
| Equipment | 2x shelf, 3x hooks, storage space under the seat | 2x shelf, 3x hooks, storage space under the seat |
| Weight net / gross (kg) | 90 / 96 | 107 / 113 |
| Order code | NPAT18-0002-11 hockey player | NPAT18-0002-01 hockey goalkeeper |












HC Warnsdorf







HC Dynamo Pardubice



Vendsyssel FF





HC Poděbrady



Umeå FC



Ski and snowboard lockers

Ski and snowboard lockers are designated for ski equipment storage in hotels, pensions and ski-depots in ski areas.

The lockers are characterised by welded steel frame, which is powder coated. Back panel is ready to be equipped with efficient drying system.


Special perforation in the door and back side provides air circulation inside the locker.

Option with 2/3 shelf allows you to put in longer objects to use the full height of the locker.

The lockers can be equipped with zinc-coated drip tray or grid.









NLAT20-0005-66 – Removable Drip Tray SKI 320x600, oblique NLAT20-0005-67 – Removable Drip Tray SKI 520x600, oblique NLAT20-0005-68 – Removable base grid SKI 320x600 NLAT20-0005-69 – Removable base grid SKI 520x600







| Clei and enambased la draw | | |
|-----------------------------|---------------------------------|---------------------------------|
| Ski and snowboard lockers | | |
| Height x width x depth (mm) | 2155 x 320 x 600 | 2155 x 520 x 600 |
| Number of sections | 1 | 1 |
| Equipment | 1 x shelf | 1 x shelf |
| Weight net / gross (kg) | 44 / 49 | 54 / 58 |
| Order code | LSS-21-A36-XXX-X2 - zinc-coated | LSS-21-A56-XXX-X2 - zinc-coated |
| Order code 2/3 shelf | LSS-21-A36-XXX-X3 - zinc-coated | LSS-21-A56-XXX-X3 - zinc-coated |


Drying systems

The drying systems for shoes, ski boots and rubber boots operate on the continuous circulation of hot air, which is blown onto the drying objects in the locker. The air temperature is around 45°C (ambient temperature 15°C - 25°C) and is perfect for fast, hygienic and safe drying. Every dryer has an analogue timer with settings for 1-120 minutes of operation.

These drying systems have a wide range of applications in a variety of businesses and organisations such as fire stations, chemical laboratories, construction companies, industrial companies, agricultural facilities, hotels, cottages, fishing clubs, army facilities, police stations, sports clubs and many more.

The purpose of use: boot dryer, ski boots dryer, rubber boots dryer, drying locker.

















Orea Resort Horal





Grandhotel Hradec, Pec pod Sněžkou



Fire lockers

and lockers for rescue services


Clothes lockers especially made for firefighters and rescue services.

Lockers have a welded body made of 1 mm steel. Their open construction allows immediate access to the stored clothing

whenever needed.

Feet can be purchased separetly, as well as a special tilting helmet holder. Holder can be easily pulled and the helmet removal is simple.








Order code: IAI-01-XXX-XXX-X1











| IPA | |
|-----------------------------|---|
| Height x width x depth (mm) | 1780 x 500 x 500 |
| Number of sections | 2 |
| Equipment | 2 x shelf, rod, helmet holder, 3 x steel clothes hooks |
| Weight net / gross (kg) | 48 / 53 |
| Order code | IPA-18-A55-IIR-X1 (mechanical code lock), IPA-18-A55-IIC-X1 (cylindrical lock) |




| IPB | |
|-----------------------------|---|
| Height x width x depth (mm) | 1780 x 400 x 500 |
| Number of sections | 1 |
| Equipment | 1 x lockable box, rod, 3 x steel clothes hooks, special air system between lockers (perforation in side panels) |
| Weight net / gross (kg) | 41/46 |
| Order code | IPB-18-A45-IIC-X2 (cylindrical lock), IPB-18-A45-IIR-X2 (mechanical code lock) |





IPC IPD



| IPC | | |
|-----------------------------|---|--|
| Height x width x depth (mm) | 1780 x 1000 x 600 | |
| Number of sections | 2 | |
| Equipment | chrome rod with hooks, inner helmet holder, belt hooks, lockable storing boxes | |
| Weight net / gross (kg) | 71/78 | |
| Order code | IPC-18-A16-IIR-D2 (mechanical code lock), IPC-18-A16-IIC-D2 (cylindrical lock) | |



| IPD | |
|-----------------------------|---|
| Height x width x depth (mm) | 1780 x 1000 x 600 |
| Number of sections | 2 |
| Equipment | chrome rod with hook, inner helmet holder, belt hooks, lockable storing boxes, dryer (energy consumption 500 W/H) |
| Weight net / gross (kg) | 95 / 101 |
| Order code | IPD-18-A16-IIC-D2(cylindrical lock), IPD-18-A16-IIR-D2 (mechanical code lock) |





IPO





| IPO | |
|-----------------------------|--|
| Height x width x depth (mm) | 1780 x 750 x 500 |
| Number of sections | 2 |
| Equipment | rod, helmet holder, 3x steel clothes hooks, special perforation |
| Weight net / gross (kg) | 49 / 55 |
| Order code | IPO-18-X75-IIX-X1 |




| IPS | | |
|-----------------------------|---|---|
| Height x width x depth (mm) | 1780 x 1000 x 500 | |
| Number of sections | 3 | |
| Equipment | rod, 3x helmet holder, special perforation | |
| Weight net / gross (kg) | 48 / 55 | 41 / 48 |
| Order code | IPS-18-X15-IIX-ZX | IPS-18-X15-IIX-DX without one side wall |

IPS lockers are made to be fixed to the wall and are delivered unassembled in packaging of ca $180 \times 350 \times 550$ mm.



IPE - X1



| IPE (X1) | | |
|-----------------------------|---|--|
| Height x width x depth (mm) | 1780 x 1600 x 500 | |
| Number of sections | 2 | |
| Equipment | chrome rod with hooks, helmet holder, 2 clothes/belt hooks, galvanized steel grate in locker: chrome rod, 2 clothes hooks, 3 doublehooks, 2 shelves | |
| Weight net / gross (kg) | 100/ 106 | |
| Order code | IPE-18-A85-IIC-X1 (cylindrical lock) IPE-18-A85-IIR-X1 (mechanical code lock) | |












| IPE (X2) | | | | |
|-----------------------------|--|--|--|--|
| Height x width x depth (mm) | 1780 x 1600 x 500 | | | |
| Number of sections | 2 | | | |
| Equipment | 1 chrome rod, 2 clothes hooks, galvanized steel grate for shoes, belt hook, preparation for helmet holder on top of the locker 1 lockable locker with chrome rod, 2 clothes hooks, 3 doublehooks, 2 shelves, special perforation | | | |
| Weight net / gross (kg) | 113/119 | | | |
| Order code | IPE-18-A85-IIC-X2 (cylindrical lock) IPE-18-A85-IIR-X2 (mechanical code lock) | | | |



| IPF | |
|-----------------------------|---|
| Height x width x depth (mm) | 1780 x 800 x 600 |
| Number of sections | 2 |
| Equipment | 1 lockable box, inner helmet holders, chrome rod, 4 clothes hooks, 2 hooks on side inside the locker |
| Weight net / gross (kg) | 62/68 |
| Order code | IPF-18-A86-IIC-X1 (cylindrical lock) IPF-18-A86-IIR-X1 (mechanical code lock) |



Feuerwehr Buochs Ennetbürgen



Freiwillige Feuerwehr Erpfting



Freiwillige Feuerwehr Munchehof



Feuerwehr Wallenwil/Eschlikon



ZOO Hluboká nad Vltavou







Nordic Lockers



Van Akelyen




Brandweer Zandhoven



Key lockers

Steel key lockers with hardened glass door are used for perfect key management. The locker can be easily mounted to the wall. Hooks are made of steel.

Laminated chipboard key locker is made in maple decor and carries hooks made of steel. The locker is fitted with cylindrical lock for safe key-storage.









| Key lockers | | | | | | |
|-----------------------------|------------------------------|-------------------------------|-------------------------------|--|--|--|
| Height x width x depth (mm) | 670 x 370 x105 | 670 x 620 x 105 | 990 x 620 x 105 | | | |
| Number of hooks | 50 hooks (5 x line / 10 pcs) | 100 hooks (5 x line / 20 pcs) | 160 hooks (8 x line / 20 pcs) | | | |
| Weight (kg) | 8 | 12 | 18 | | | |
| Order code | IAK-06-C41-XXX-X1 | IAK-06-C61-XXX-X1 | IAK-09-C61-XXX-X1 | | | |





| Laminated chipboard key locker | | | | | |
|--------------------------------|------------------------------|-------------------------------|-------------------------------|--|--|
| Height x width x depth (mm) | 615 x 310 x 125 | 615 x 560 x 125 | 950 x 560 x 125 | | |
| Number of hooks | 50 hooks (5 x line / 10 pcs) | 100 hooks (5 x line / 20 pcs) | 160 hooks (8 x line / 20 pcs) | | |
| Weight (kg) | 8 | 13 | 18 | | |
| Order code | LAK-06-B31-CAA-X1 | LAK-06-B51-CAA-X1 | LAK-09-B51-CAA-X1 | | |



Cloakroom seats

Steel sheet and laminated chipboard combination


Cloakroom seats for plants, gyms, schools, and sport facilities.

The frame is made of sturdy 30 x 30 mm steel profiles and the seat is laminated chipboard with 2mm ABS edging.

Feet are fitted with plastic gliders. Cloakroom seats can be made in versions with hooks.



If requested, the frame can be adjusted for storing shoes.















laminate maple mandal

laminate fleetwood champagne

laminate cherry-tree locarno

laminate oak bardolino

laminate oak corbridge

laminate pine



| One-sided cloakroom bench with hooks | | | | | | | |
|--|-------------------|-------------------|-------------------|--|--|--|--|
| Height x length x depth (mm) 1800 x 1200 x 430 1800 x 1500 x 430 1800 x 2000 x 430 | | | | | | | |
| Number of hooks | 8 | 10 | 13 | | | | |
| Weight net / gross (kg) 67 75 89 | | | | | | | |
| Order code | ITV-04-X01-XXX-X3 | ITV-04-X02-XXX-X3 | ITV-04-X03-XXX-X3 | | | | |

| Double-sided cloakroom bench with hooks | | | | | |
|--|-------------------|-------------------|-------------------|--|--|
| Height x length x depth (mm) 1800 x 1200 x 430 1800 x 1500 x 430 1800 x 2000 x 430 | | | | | |
| Number of hooks | 16 | 20 | 32 | | |
| Weight net / gross (kg) | 111 | 121 | 150 | | |
| Order code | ITV-08-X01-XXX-X3 | ITV-08-X02-XXX-X3 | ITV-08-X03-XXX-X3 | | |



| Cloakroom seat | | | | | |
|------------------------------|-------------------|-------------------|-------------------|-------------------------|--|
| Height x length x depth (mm) | 460 x 1200 x 350 | 460 x 1500 x 350 | 460 x 2000 x 350 | 460 x 2000 x 550 | |
| Weight (kg) | 14 | 18 | 25 | 26 | |
| Order code | ITL-04-X03-XXX-X2 | ITL-04-X04-XXX-X2 | ITL-04-X05-XXX-X2 | ITL-04-X01-XXX-X2 | |



Whole laminated wardrobe bench

The whole laminated bench is made of durable laminated chipboard with a thickness of 36 mm with a 2 mm ABS edge.

Thanks to the materials used and the design, these benches are especially suitable for spaces where high demands are placed on the overall design of the dressing room.





| Xxxxx | | | | | |
|------------------------------|-------------------|-------------------|-------------------|--|--|
| Height x length x depth (mm) | 460 x 600 x 350 | 460 x 800 x 350 | 460 x 1000 x 350 | | |
| Weight (kg) | 14 | 16 | 18 | | |
| Order code | ILL-04-X01-XXX-X1 | ILL-04-X02-XXX-X1 | ILL-04-X03-XXX-X1 | | |







Design self-watering flowerpot

Environment: Exterior / Interior

Colour: antracit RAL 7016

Material: zinc coated steel

treated with facade

powder coating

Dimensions: 875 x 850 x 300 mm

 $(W \times H \times D)$

Included: 3x self – watering

plastic set, 2x wheels,

2x rectifying feet

Weight: 23 kg (including

plastic inner liners)

Plastic inner liner with self-watering set







This set consists of:

- from the inner plastic liner
- double bottom (partitions)
- water status indicators

High-quality and stable plastic is used for the inserts, so they can be used indoors and outdoors.

Inner flower liners:

3 x self-watering plastic set in black with water level indicator.



Easy handling:

2 wheels for movement and 2 rubber feet to prevent spontaneous movement.





Also can be ordered:

Set of sheet metal profiles for anchoring the flowerpot (including connecting.







Shelf racks

Shelf racks

Universal mounted rack for archives, workshops and warehouses. Shelves can be adjusted, each by 45 mm.

Loading: 100 kg


Max. loading capacity: 500 kg

It comes disassembled into individual components.

Welded shelf racks - steel / laminated chipboard

Shelves made of 18 mm thick laminated chipboard and fitted into a steel frame. We recommend the shelf rack to be mounted to a wall. Loading capacity: 75 kg

Max. loading capacity: 450 kg










| Shelf racks | | | | | |
|-----------------------------|-------------------|-------------------|-------------------|-------------------|--|
| Height x width x depth (mm) | 2000 x 1000 x 400 | 2000 x 1000 x 500 | 2000 x 1000 x 400 | 2000 x 1000 x 500 | |
| Surface treatment | zinc-coated | zinc-coated | colour | colour | |
| Equipment | 5 x shelf | 5 x shelf | 5 x shelf | 5 x shelf | |
| Weight net / gross (kg) | 38 / 39 | 44 / 45 | 29 / 30 | 34 / 35 | |
| Order code | IAR-20-X14-XXX-X1 | IAR-20-X15-XXX-X1 | IAR-20-X14-CCX-X1 | IAR-20-X15-CCX-X1 | |

| Welded shelf racks - steel / laminated chipboard | | | | |
|--|-------------------|--|--|--|
| Height x width x depth (mm) | 2000 x 1000 x 500 | | | |
| Surface treatment | laminate | | | |
| Equipment | 6 x shelf | | | |
| Weight net / gross (kg) | 63 / 69 | | | |
| Order code | IDR-20-X15-XXX-X1 | | | |







Workbenches

Universal and flexible workbench for workshops, school classrooms, warehouses and garages.

Adjustable feet for adjusting the height of the working desk in 50 mm increments from 655 mm up to 1005 mm.

Supplied table lengths (mm): 750, 1200, 1500, 1700, 2000

Depth for all table lengths (mm): 700

Table loading capacity (kg): 500 at even load

Workspace: solid beech battenboard with a thickness of 40 mm, chamfered top edges

Fixed profiled base: welded from steel profiles, rear traverse for higher rigidity

Surface tratment of metal profiles: powder coating - gray RAL 7035













| Workbenches | | | | | | |
|--------------------|------------------|------------------|------------------|------------------|------------------|--|
| Height (mm) | 750 | 1 200 | 1 500 | 1 700 | 2 000 | |
| Width x depth (mm) | 655 – 1005 x 700 | |
| Order code | | | | | | |
| RAL7035 | CXAT20-0056-05 | CXAT20-0056-04 | CXAT20-0056-03 | CXAT20-0056-02 | CXAT20-0056-01 | |
| RAL 5005 | UXAT20-0056-05 | UXAT20-0056-04 | UXAT20-0056-03 | UXAT20-0056-02 | UXAT20-0056-01 | |











Container

Container with door and shelf

light from 105 to 190 mm.

1 x shelf

Door in RAL 5005 with magnets, cabinet RAL 7035.

Opening the door from left to right and vice versa can be easily interchanged. Internal adjustable shelf with 21.5 mm grille, fastened with 4 M5 screws, upper chamber

Container with drawers

4 x socket


1 x upper drawer - internal height 80 mm 3 x bottom drawer - internal height 130 mm telescopic drawer extension - 100% load capacity of drawers 45 kg

Powder coating of the container varnish gray / blue, RAL 7035/5005.



| | Order Code | Dimensions W x H x D | Weight (kg) | Color |
|-------------------------------------|----------------|----------------------|-------------|-------------------------------|
| Workshop table container 4 x drawer | BXAT20-0056-14 | | 40 | black skeleton, black sockets |
| Workshop table container 4 x drawer | CXAT20-0056-14 | 570 x 600 x 550 | 40 | gray skeleton, gray drawers |
| Workshop table container - door | CUAT20-0056-20 | | 26 | gray skeleton, blue door |







Additional steel production

and cooperation

Mobile patient locker

The locker is fitted with a lockable box to store personal belongings.

It is also equipped with two handles and four wheels (two with breakes) for easy manipulation.

Easy cleaning is ensured by the smooth finish.









Referee table

The laminate referee table is suitable for any sport venue. It has a spacious table top containing a grommet allowing easy access to power for electronic devices. Its wheels with brakes ensure easy handling.

Shoe locker

2-door shoe locker intended to be placed under seats of clothes lockers. The boxes can be put one on each other and fix them with screws.

Dimensions: 410 x 512 x 600 mm

Use: intended to be placed under seats of clothes

lockers

Locking: 2x cylindrical lock with 2 keys (possibility of turning lock for padlock) **Frame:** welded with perforation

Weight: 14 kg

Order code: IAB-04-C56-XXX-X1



Light frames









The wall with modules is made of high quality powder coated steel sheet with a smooth surface. The surface is very easy to maintain and durable.

Installation

Easy assembly by simply sliding the hooks onto the the back of the boxes into the holes in the main plate and secured with a screw joint.





HEALTH



INDUSTRY



GOVERNMENT



SCHOOL



BLOCKS OF



Multifunctional storage wall

for flyers, keys, medications, mail, defibrillator

The p numb For exit is all the second second


The plate allows easy fixing of various types of boxes in different number combinations.

For example, it can contain only 4 mail boxes and 4 flyer modules.

It is always supplied only in a specific combination.

Colour

Hanging modules and plate are supplied in two-colour combination grey/blue or grey/black.



Modules:


FOR FLYERS
IUS-PR-XXX-XXX-X1

Dimensions

width 285 mm height 190 mm depth 54 mm

Weight

0,46 kg



FOR KEYS IUS-04-K38-XXX-X1


Dimensions

width 300 mm height 400 mm depth 60 mm

Weight

3,96 kg






FOR MEDICATIONS

IUS-04-L31-XXX-X1

Dimensions

width 300 mm height 400 mm depth 120 mm Weight 4,00 kg





FOR MAIL

IUS-04-P38-XXX-X1


Dimensions

width 300 mm height 400 mm depth 60 mm

Weight

3,26 kg





FOR A DEFIBRILLATOR IUS-04-D52-XXX-X1


Dimensions

width 500 mm height 400 mm depth 200 mm

Weight

8,19 kg





Mail box for smart pickup larger parcels from shipping companies without the presence of the recipient.

The box is locked with a numerical code lock allowing the courier to securely deposit of the parcel using the unique code provided by the recipient.

The box is available in 3 sizes.

All boxes are equipped with levelling feet and holes in the back wall for anchoring to the wall.






Mail box


Optionally, a digital lock can be installed that can be touch-sensitive with up to an 8-digit code, or touch-sensitive with code and fingerprint reader + Bluetooth for remote control via an app on your mobile device.




Colour

The mail box can be ordered in one colour or two-colour combination according to the pattern.








| type | А | В | С | weight |
|-------------------|------|------|-----|--------|
| | | (mm) | | (kg) |
| IBP-06-A44-XXX-X1 | 600 | 400 | 400 | 13 |
| IBP-06-A54-XXX-X1 | 650 | 500 | 450 | 16,21 |
| IBP-10-A66-XXX-X1 | 1000 | 600 | 650 | 28,54 |





There are two types to choose from disinfectant dispensers: manual or fully automatic with a motion sensor.

Module for the graphic allows you to insert and easily exchange information leaflets in A4 format.


Hygienestand


including waste basket

with preparation for flexible installation of different types of modules:

Module for the graphic Module for paper towels Module for the face masks Module for tissues or gloves Disinfectant dispenser

Hanging modules and plate are supplied in two-colour combination grey/blue or grey/black.





PROGRAM

Modules

FOR PAPER TOWELS IDS-PR-XXX-XXX-P4



FOR THE FACE MASKS IDS-PR-XXX-XXX-P1



FOR TISSUES OR GLOVES IDS-PR-XXX-XXX-P2



FOR THE GRAPHIC IDS-PR-XXX-XXX-P3



The plate allows easy fixing of modules with the included screws and nut into the prepared holes.

DISINFECTANT DISPENSER



Manual dispenser Merida TOP -Spray



Automatic dispenser AUTOMATIC Merida ONE

STAND INCLUDING WASTE BASKET IDS-16-X45-XXX-X1




Dimensions:

width 400 mm height 1600 mm depth 500 mm

Weight:

16,2 kg including waste basket





Accessories

Our customers can choose from a vide variety of locker accessories.

Shelves - Steel, Laminate





an extended range of decors can be found on page 90

Plastic shoe pad

Dimensions: 270 x 345 mm IZN-PV-X23-XXX-X1



Hook,,S"

IZN-SS-X03-XXX-X1 - black plastic
IZN-SS-X07-XXX-X2 - steel

Metal hook "9"

IAI-06-XXX-ZXX-X1



Power distribution units

DIN: RAB-PD-X91-C1 ČSN: RAB-PD-X90-C1



Roof 15°

IAN-01-XX5-XXX-X1

Levelling feet

included in a supply



Connecting set

RAX-MS-X70-X1



Key number tags

Key numbering 01-50: IZN-SS-X02-XXX-X2 Key numbering 001-100: IZN-SS-X02-XXX-X3

Stainless steel key numbering 001-100: IAI-03-XXX-NXX-X11



Self-adhesive label

IZN-SS-X01-XXX-X2 - blue IZN-SS-X01-XXX-X3 - black





Locks

Digilock®

Company Digilock has been estimated 1981 in California. Nowadays is proudly on quality workmanship that simplifies security and improves user experience through innovation, quality and design for which is sought.



BURG represents the fourth generation of the family business, whose history goes back to 1890, when the first padlock has been made. Today BURG is a modern supplier of locks for a variety of applications and one of the leading European manufacturers of locking systems. Our specialization are the mechanical and electronic locks for metal and wooden furniture.



Metra is a comprehensive supplier of online locking solutions including readers, touch screens, bar codes, QR codes and software services.



ACS Solution specializes in comprehensive supplies, especially in the field of electronic access systems for hotels, spas, sports centers, apartment buildings, production halls, health and education facilities.

Digilock®



Digilock AXIS Keypad Digilock AXIS Keypad Slim

The elegant appearance of the lock Digilock brings a clean design with solution for your locking. The lock is keypad operated with either a fixed or multi-user 4 digit code. This eliminates the necessity of keys, smart bracelets, keychains and cards. Also available in slim version.



Digilock AXIS RFID Digilock AXIS RFID Slim

The elegant appearance of the lock Digilock brings a clean design with solution for your locking. Access with cards or chip bracelets. The lock is RFID operated with either a assigned or free use. Also available in slim version.



Digilock Cue Keypad

The lock is keypad operated with either a fixed or multi-user 4 digit code. This eliminates the necessity of keys, smart bracelets, keychains and cards.



Digilock Cue RFID

Locks are operated by card or chip bracelet. This lock is battery powered and ensures solid security. The lock is RFID operated with either a assigned or free use.



Digilock SOLA Keypad

Keypad operated with a 4-digit custome code. This lock is battery powered and ensures solid security. This eliminates the necessity of keys, smart bracelets, keychains and cards. Locks can be mounted in vertical or horizontal position.



Digilock SOLA RFID

Locks are operated by card or chip bracelet. This lock is battery powered and ensures solid security. The lock is RFID operated with either a assigned or free use. Can be mounted in vertical or horizontal position.



BURG



Cylindrical lock Burg - for steel

Locking fixes the door in its central part. As a standard, locks are equipped with two steel keys. Locks can be equipped with a master key system (master key is universal for locks in steel and laminated chipboard as well).

Order code: IZN-ZK-X24-XXX-X1 - right, left lock IZN-ZK-X08-XXX-X1 - master key



Cylindrical lock Burg - for laminated chipboard

Locking fixes the door in its central part. As a standard, locks are equipped with two steel keys. Locks can be equipped with a master key system (master key is universal for locks in steel and laminated chipboard as well).

Order code: IZN-ZK-X06-XXX-X1 - right lock

IZN-ZK-X07-XXX-X1 - left lock IZN-ZK-X08-XXX-X1 - master key



Turning lock Burg

Locking with a turning clamp; a padlock is used to fix the lock in the locked position. Recommended diameter of the pad lock shackle is 6 mm.

Order code: IAZ-ZK-X67-XXX-X1 - right lock

IAZ-ZK-X66-XXX-X1 - left lock



Safety turning lock Burg

Locking with a turning clamp; a padlock is used to fix the lock in the locked position. Recommended diameter of the pad lock shackle is 6 mm. After inserting the padlock shackle, the safety lock spins freely and prevents the forcible spinning of the lock in the assembly hole.

Order code: IAZ-ZK-X53-XXX-X1



Mechanical code lock Burg sPinLock 510

This mechanical code lock has a 4-digit code locking system with the option of a master key. We recommend using this lock in places where the users do not change very often (lockers for fire fighters, golf lockers).

Order code: IZN-ZK-A20-XXX-X1 - right lock

IZN-ZK-A21-XXX-X1 - left lock IZN-ZK-A22-XXX-X1 - master key



Mechanical code lock Burg

This mechanical code lock has a 4-digit code locking system with the option of a master key. We recommend using this lock in places where the users do not change very often (lockers for fire fighters, golf lockers).

Order code: IZN-ZK-X26-XXX-X1 - right lock

IZN-ZK-X25-XXX-X1 - left lock IZN-ZK-X22-XXX-X1 - master key



Coin lock Burg

This lock is designed to accept € 1 coins. Another coin value can be requested as well. The key remains blocked in the lock until the coin is inserted and then the locker is locked. After unlocking, the coin is released and returned or held in a money collecting box and the key remains blocked in the lock again. Coin locks can be equipped with a master key.

Order code: IZN-ZK-X11-XXX-X1 - right lock for € 1

IZN-ZK-X12-XXX-X1 - left lock for € 1 IZN-ZK-X13-XXX-X1 - master key




Burg Combi Pad

Keypad operated with a 4-digit or 6-digit custom code. Sturdy full metal anti-vandal lock. Water resistant. Battery lifetime is 60.000 locking cycles. Master key is replaced by master code system.

Objednací kód: IZN-ZK-X29-XXX-X1 - right lock

IZN-ZK-X30-XXX-X1 - left lock





Burg Corona

Lock is operated by a card or any chip. It is compatible with systems based on 125 kHz frquency or Mifare technology. The lock includes two batteries, LED back light and can be programmed as single or multi-user.

Order code: IAZ-ZK-X60-XXX-X1 - lock for laminated chipboard

IAZ-ZK-X59-XXX-X1 - lock for steel






ACS 19-HU

Locks ACS 19-HU offer assigned or free use. Almost all-metal, very durable construction. Ideal price/performance.

KERDNG[©]



KERONG

Digital sensor lock, which can operated by a touch by a up to 8-digit code, or by code and fingerprint reader or by RFID and numeric code, fingerprint reader + Bluetooth for remote control using an application on a mobile device.

Order Code: IZN-ZK-A10-XXX-X1 - lock with numeric code

IZN-ZK-A11-XXX-X1 - with numeric code,

fingerprint

IZN-ZK-A12-XXX-X1 - RFID with numeric

code, fingerprint, Bluetooth



The eco-friendly locker system which saves time, money and stress.

No on-locker management, no broken keys/locks, no need to change harmful lock batteries, etc. Intelligent, secure, low-maintenance, centrally managed and most user-friendly locker system for storage and delivery lockers in modern offices, smart buildings and other facilities of any size.



Metra electronic lock

Central unlocking of individual lockers
Fully concealed (not visible on doors)
Open locker doors to left, right, up, down
and front (for electronic drawers)
Vandal-proof (ni direct access to lock)
With Auto-Open, Push -Open or Pull-Open
locker door dynamics Electric motor-driven
(highly reliable) Self-test at every use
(each lock/unlock)



Metra electronic lock with RFID reader

For on-door unlocking lockers
Status lights (vacant, occupied, alarm, etc.)
Open locker doors to left, right, up, down and front (for electronic drawers)
Vandal-proof (no direct access to lock)
With Auto-Open, Push-Open or Pull-Open locker door dynamics
Electric motor-driven (highly reliable)
Self-test at every use (each unlock)



Metra Display

Central unlocking of individual lockers
For daily (random visitors) or long-term
locker use (employees, students, etc.)
RFID media/4 -digit PIN Code as locker key
Used as standalone or with Metra Readers
Embeded washable keypad
Built-in RFID reader
4-digit LED display
Used with Metra electronic locks



Metra Touch Display

Central unlocking of individual lockers
For activity-based/co-working type lockers
User occupies a vacant locker by himself
10" touch screen with Full HD resolution
Multilanguage functionality
Custom branding of screens (optional)
For storage and delivery locker system
Horizontal or Vertical position
Used as standalone or with Metra Readers



Metra Reader

For Metra Display/Metra Touch Display
Central unlocking of individual lockers
Enables the use of various locker keys
Use multiple locker keys for single locker
Reader ISO (ISO RFID)
Reader Multi (99,9% of RFID) LE (Legic™ RFID)
Barcode (Barcode, QR Code)
With genuine HID™ Tech. (HID™ RFID)



MyMetraKey mobile app

For remote unlocking of individual lockers
For activity-based or long-term lockers
Remote locker use and management Manage
multiple lockers from single app
Enables fully clean-line lockers
No Metra Displays/Metra Readers needed
As a sole locker key or in combination with
secondary key (PIN code, RFID, etc.) For iOS
and Android



Metra Locker Management Software

Complete remote management and overview of all user and locker activities Remotely add/remove media and users Remotely unlock any locker or lockers For various locker solutions (Daily lockers, Rental lockers, Workplace Lockers and Delivery/Parcel lockers)
Detailed reports and statistics (optimizing employee locker usage)

Metra locker system for any solution

Daily lockers (daily quests and visitors)
Rental lockers (renting out lockers)
Workplace lockers (employees, students)
Delivery and Pickup lockers (parcel)

Integrate with any third-party system Access control, time and attendance, payment, cashless vending, facility, etc.

Project realization

Our company provides complete delivery of your order from consultation and production of your chosen product to transport with our fleet or contract carrier including unpacking and placing lockers at the desired location.

Technical support

We will be pleased to provide you with expert assistance in selecting the right product. Based on your specific requirments, we propose the most appropriate dimension, construction and optional locking system. If needed, we will measure your desired area and develop graphic design solutions.

Production

Own production on automated CNC machines which increases the quality and accuracy of our product. The most important thing for us is to meet customer demands and therefore we offer all additional equipment as marking of lockers, keys, hooks, nivelation feets and others which are part of the order.

Transport

We use our own fleet or contracted carriers to transport our products. According to the place of implementation and shipping order dimensions, we choose the best method of transport. Many projects are implemented in places where a tailgate is needed for unloading goods.



Assembly

The final step to successfully complete the projects is to unpack and place the lockers. All packaging material will be taken back with us.

Offer warehouse decors



laminate maple mandal



laminate fleetwood champagne



laminate oak corbridge



laminate pine



laminate cherry-tree locarno



laminate oak bardolino

Extended offer of decors



nut opera 0481



nut guarnier 9455



oak tobacco craft K004



nut light select K008



nut light lyon 9614



oak nagano 8431



zebrano saliara 8657



oak sand expressive K076



crossline caramel 8362









FF Mulda



Golfplatz Moossee



Star Fitness Mulhouse



Zoom Cycle Praha



Magna Exteriors & Interiors



Grandhotel Hradec, Pec pod Sněžkou



APAG Elektronik s.r.o.














3D Yoga Pardubice
























Hardcore Gym Aarau











































Marketing – Exhibitons

Tritón has been participating in exhibitions, starting with its first in 1995.

International fair FIBO

- Cologne 2011 - 2015

International fair for firefighters Interschutz

- Hannover 2010, 2015

International exhibition for firefighters Florian

- Karlsruhe 2013, Dresden 2014, 2016, 2018

International fair for living Mobitex

- Brno 2008 - 2010

In cooperation with our business partners our products were also presented at:

- International fair for integrated emergency system Infopol -Kortrijk 2015, 2017, 2019
- Sport Achat Lyon 2019
- Mountain Planet Grenobl 2018
- **ISPO** Munich 2017
- Health & Care Ghent 2016
- SportsFair- Fredericia 2016

- FSB- Cologne 2015
- Suisse Public Bern 2013, 2015
- Sport Achat Lyon 2015
- Golf Europe Augsburg, 2012, 2013, 2014
- **Euro Attractions Show** Paris 2013, Amsterdam 2014, Göteborg 2015
- Green Expo Paris 2013
- Golfshow 2011
- Vienna tec Vienna 2012
- GaLaBau Nuremberg 2016




The International Fitness Trade Fair FIBO 2012 - Essen, Germany





MOBITEX 2010 - International Trade Fair of Living - Brno



SportsFair 2016



SUISSE PUBLIC 2013



The International Fitness Trade Fair FIBO 2013 - Cologne, Germany



Presentation

Triton showroom

There is no better argument for a product than a demonstration of a sample. For this purpose, we have set up a presentation centre with samples of our products: clothes lockers, golf lockers, lockers for firefighters and rescue services, data cabinets and other products.







Packaging, transportation

Packaging

We deliver our products in special packaging. Clothes lockers have edges protected by highly resistant polyurethane foam and the whole locker is then protected with a shrinkwrap against dust and scratching when being transported. All our products are distributed on wooden pallets.

Transportation

Transportation of our goods is provided with our own vehicles or in cooperation with our contract carriers.





Notes

Certificates



ISO 9001:2015



ISO 45001:2018



ISO 14001:2015



Tritón Pardubice, spol. s r. o. č.p. 130, 530 02 Starý Mateřov, Czech Republic

č.p. 130, 530 02 Starý Mateřov, Czech Republic Tel.: +420 467 401 111 E-mail: info@satniskrinky.cz

Triton Chemnitz GmbH

Teichstraße 11, 09366 Niederdorf, Germany Tel.: +49 (0) 37296 5498-0 E-Mail: info@garderobenspinde.de

www.clotheslockers.eu





